


DENALI - Floodlight - Remote Driver - LED COB



RoHS



IP66

Features



Water-tight anti-siphon plug keeps moisture out



Solid billet body provides unmatched durability and heat management



Slip fit cap & silicone 'O' ring provides reliable water-tight seal



Secured with tamper-resistant, stainless steel hardware



Modular design supports easy upgrades and field servicing




Manufactured in the USA with sustainable processes




360HD knuckle provides 360° horizontal rotation and vertical adjustment


Optics



SP - Spot



FL - Flood
100



WFL - Wide Flood

Technical

Drivers: Remote Driver

Light Source: LED COB

Material: Aluminum

CCT(K): 2700, 3000, 4000

CRI: Ra > 80, R9 > 15

Input Power(w): 7, 27, 20, 12, 21, 13

Delivered Lumens(lm): 397, 1383, 1064, 399, 1125, 445, 456, 623, 661, 721, 1586, 1767, 1307, 1416, 1359, 1208, 1180, 1041, 829, 406, 409, 455, 466, 1426, 1634, 1820, 1120, 1184, 1376, 653, 692, 756, 1571, 1508, 1341, 1237, 1091, 869, 511, 524, 1726, 1923, 1435, 459, 1506, 1168, 1235, 736, 780, 851, 1394, 1568, 1285, 1134, 903

Beam angle(°): 23, 60, 31, 35, 16, 13, 15, 55, 45, 17

Controls: No Driver (Please check the remote driver for control options)

Mount: Threaded Knuckle Mount

Style: Cap E, Cap D, Cap C, Cap B, Cap A

Lens: Clear (Standard), Soft Focus, Rectilinear

Shielding: Not included (Standard), Honeycomb Baffle

Wiring Length: 5 Ft Leads, 25 Ft Leads

Listing Products

Material	Mount	Style	Product Reference	
Aluminum	Threaded Knuckle Mount	Cap E	DE-FL-RMD-LCB-AL-CE	
Aluminum	Threaded Knuckle Mount	Cap D	DE-FL-RMD-LCB-AL-CD	
Aluminum	Threaded Knuckle Mount	Cap C	DE-FL-RMD-LCB-AL-CC	
Aluminum	Threaded Knuckle Mount	Cap B	DE-FL-RMD-LCB-AL-CB	
Aluminum	Threaded Knuckle Mount	Cap A	DE-FL-RMD-LCB-AL-CA	

This document contains proprietary information of B-K Lighting, inc. and its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe.

Technical information is subject to change at the discretion of B-K Lighting Inc. For the most current technical data, please refer to bklighting.com

Updated 04/24/2024
